





**SANICA - Steel Panel Radiators**

**Technical Data**

\* = Stock item

**4 Holes Steel Panel Radiator | PKP 21 (K1+P) | Depth 70 mm (2-3/4") | Double face | C-Brackets**


For Room Temperature 20°C (68°F)



CODE	HEIGHT	LENGTH	HEIGHT	LENGTH	WEIGHT	WEIGHT	WATER CONTENT LITER	110°F 44°C	140°F 60°C	160°F 72°C	180°F 83°C	*	4 Hole
	INCH	INCH	MM	MM	KG	POUND		BTU/H	BTU/H	BTU/H	BTU/H		
501-55213004	11 6/8	15 6/8	300	400	6.56	14.43	1.36	464	921	1265	1638	*	4 Hole
501-55213005	11 6/8	19 5/8	300	500	7.93	17.45	1.7	580	1151	1582	2048	*	4 Hole
501-55213006	11 6/8	23 5/8	300	600	9.10	20.03	2.04	694	1381	1897	2458	*	4 Hole
501-55213007	11 6/8	27 4/8	300	700	10.40	22.89	2.38	810	1611	2214	2867	*	4 Hole
501-55213008	11 6/8	31 4/8	300	800	11.59	25.49	2.72	926	1841	2530	3277	*	4 Hole
501-55213009	11 6/8	35 3/8	300	900	12.95	28.49	3.06	1042	2072	2846	3686	*	4 Hole
501-55213010	11 6/8	39 3/8	300	1000	14.07	30.96	3.4	1158	2302	3163	4095	*	4 Hole
501-55213012	11 6/8	47 2/8	300	1200	16.80	36.97	4.08	1390	2763	3795	4914	*	4 Hole
501-55213014	11 6/8	55 1/8	300	1400	19.06	41.94	4.76	1622	3222	4428	5733	*	4 Hole
501-55213016	11 6/8	63	300	1600	21.70	47.74	5.44	1853	3683	5060	6553	*	4 Hole
501-55216004	23 5/8	15 6/8	600	400	12.30	27.06	2.48	826	1641	2254	2919	*	4 Hole
501-55216005	23 5/8	19 5/8	600	500	14.85	32.66	3.1	1032	2051	2819	3649	*	4 Hole
501-55216006	23 5/8	23 5/8	600	600	17.45	38.40	3.72	1238	2461	3382	4379	*	4 Hole
501-55216007	23 5/8	27 4/8	600	700	20.13	44.29	4.34	1444	2872	3945	5108	*	4 Hole
501-55216008	23 5/8	31 4/8	600	800	22.56	49.64	4.96	1651	3281	4509	5839	*	4 Hole
501-55216009	23 5/8	35 3/8	600	900	25.37	55.82	5.58	1857	3692	5073	6568	*	4 Hole
501-55216010	23 5/8	39 3/8	600	1000	28.14	61.91	6.2	2063	4102	5636	7298	*	4 Hole
501-55216012	23 5/8	47 2/8	600	1200	32.96	72.50	7.44	2476	4923	6764	8757	*	4 Hole
501-55216014	23 5/8	55 1/8	600	1400	35.86	78.89	8.68	2889	5743	7891	10217	*	4 Hole
501-55216016	23 5/8	63	600	1600	42.74	94.02	9.92	3301	6564	9018	11676	*	4 Hole
501-55216018	23 5/8	70 7/8	600	1800	49.07	107.96	11.16	3715	7383	10145	13137	*	4 Hole
501-55216020	23 5/8	78 6/8	600	2000	53.20	117.03	12.4	4127	8204	11273	14596	*	4 Hole
501-55219004	35 3/8	15 6/8	900	400	18.30	40.26	3.28	1115	2218	3047	3945	*	4 Hole
501-55219006	35 3/8	23 5/8	900	600	26.50	58.31	4.92	1673	3327	4571	5918	*	4 Hole
501-55219008	35 3/8	31 4/8	900	800	34.57	76.05	6.56	2231	4435	6094	7890	*	4 Hole
501-55219010	35 3/8	39 3/8	900	1000	42.67	93.87	8.2	2788	5544	7618	9863	*	4 Hole
501-55219012	35 3/8	47 2/8	900	1200	51.01	112.23	9.84	3346	6653	9142	11835	*	4 Hole

4 Holes Steel Panel Radiator | PKKP 22 | Depth 103 mm (4") | With L-Brackets holders

For Room Temperature 20°C (68°F)




CODE	HEIGHT	LENGTH	HEIGHT	LENGTH	WEIGHT	WEIGHT	WATER CONTENT LITER	110°F 44°C	140°F 60°C	160°F 72°C	180°F 83°C	*	4 Hole
	INCH	INCH	MM	MM	KG	POUND		BTU/H	BTU/H	BTU/H	BTU/H		
501-55223004	11 6/8	15 6/8	300	400	7.37	16.23	1.36	488	969	1332	1724	*	4 Hole
501-55223006	11 6/8	23 5/8	300	600	10.23	22.53	2.04	731	1454	1997	2587	*	4 Hole
501-55223007	11 6/8	27 4/8	300	700	11.69	25.75	2.38	853	1696	2330	3018	*	4 Hole
501-55223008	11 6/8	31 4/8	300	800	13.02	28.68	2.72	975	1938	2663	3449	*	4 Hole
501-55223009	11 6/8	35 3/8	300	900	14.55	32.05	3.06	1097	2181	2996	3880	*	4 Hole
501-55223010	11 6/8	39 3/8	300	1000	15.81	34.82	3.4	1219	2423	3329	4311	*	4 Hole
501-55223011	11 6/8	43 2/8	300	1100	17.41	38.35	3.74	1341	2665	3662	4742	*	4 Hole
501-55223012	11 6/8	47 2/8	300	1200	18.88	41.59	4.08	1463	2908	3995	5173	*	4 Hole
501-55223014	11 6/8	55 1/8	300	1400	21.42	47.18	4.76	1707	3392	4661	6035	*	4 Hole
501-55223016	11 6/8	63	300	1600	24.38	53.70	5.44	1950	3877	5326	6898	*	4 Hole
501-55223018	11 6/8	70 7/8	300	1800	28.56	62.91	6.12	2194	4361	5992	7760	*	4 Hole
501-55223020	11 6/8	78 6/8	300	2000	30.47	67.11	6.8	2438	4846	6658	8622	*	4 Hole
501-55223022	11 6/8	86 5/8	300	2200	33.33	73.41	7.48	2682	5331	7324	9484	*	4 Hole
501-55223024	11 6/8	94 4/8	300	2400	36.23	79.80	8.16	2926	5815	7990	10346	*	4 Hole
501-55224004	15 6/8	15 6/8	400	400	9.81	21.61	1.72	622	1237	1700	2200	*	4 Hole
501-55224006	15 6/8	23 5/8	400	600	13.82	30.44	2.58	933	1855	2549	3301	*	4 Hole
501-55224008	15 6/8	31 4/8	400	800	17.39	38.30	3.44	1244	2474	3399	4401	*	4 Hole
501-55224009	15 6/8	35 3/8	400	900	19.63	43.24	3.87	1400	2783	3824	4951	*	4 Hole
501-55224010	15 6/8	39 3/8	400	1000	21.17	46.63	4.3	1555	3092	4249	5501	*	4 Hole
501-55224011	15 6/8	43 2/8	400	1100	23.54	51.85	4.73	1711	3401	4674	6051	*	4 Hole
501-55224012	15 6/8	47 2/8	400	1200	24.89	54.82	5.16	1866	3710	5099	6601	*	4 Hole
501-55224014	15 6/8	55 1/8	400	1400	29.07	64.03	6.02	2177	4329	5949	7701	*	4 Hole
501-55224016	15 6/8	63	400	1600	32.45	71.48	6.88	2488	4947	6798	8802	*	4 Hole
501-55224018	15 6/8	70 7/8	400	1800	37.32	82.20	7.74	2799	5566	7648	9902	*	4 Hole
501-55224020	15 6/8	78 6/8	400	2000	40.95	90.20	8.6	3110	6184	8498	11002	*	4 Hole
501-55224022	15 6/8	86 5/8	400	2200	44.11	97.16	9.46	3421	6802	9348	12102	*	4 Hole
501-55224024	15 6/8	94 4/8	400	2400	48.36	106.52	10.32	3732	7421	10198	13202	*	4 Hole
501-55225004	19 5/8	15 6/8	500	400	11.6	25.55	2.08	746	1483	2038	2638	*	4 Hole
501-55225006	19 5/8	23 5/8	500	600	16.12	35.51	3.12	1119	2225	3056	3958	*	4 Hole
501-55225007	19 5/8	27 4/8	500	700	18.77	41.34	3.64	1306	2596	3566	4617	*	4 Hole
501-55225008	19 5/8	31 4/8	500	800	21.01	46.28	4.16	1492	2966	4075	5277	*	4 Hole
501-55225009	19 5/8	35 3/8	500	900	23.05	50.77	4.68	1679	3337	4585	5936	*	4 Hole
501-55225010	19 5/8	39 3/8	500	1000	26.38	58.11	5.2	1865	3708	5094	6596	*	4 Hole
501-55225011	19 5/8	43 2/8	500	1100	27.54	60.66	5.72	2052	4079	5603	7256	*	4 Hole
501-55225012	19 5/8	47 2/8	500	1200	30.4	66.96	6.24	2238	4450	6113	7915	*	4 Hole
501-55225014	19 5/8	55 1/8	500	1400	36.13	79.58	7.28	2611	5191	7132	9234	*	4 Hole
501-55225016	19 5/8	63	500	1600	41.29	90.95	8.32	2984	5933	8150	10554	*	4 Hole
501-55225018	19 5/8	70 7/8	500	1800	46.45	102.31	9.36	3357	6674	9169	11873	*	4 Hole
501-55225020	19 5/8	78 6/8	500	2000	51.09	112.53	10.4	3730	7416	10188	13192	*	4 Hole
501-55225022	19 5/8	86 5/8	500	2200	53.14	117.05	11.44	4103	8158	11207	14511	*	4 Hole
501-55225024	19 5/8	94 4/8	500	2400	55.41	122.05	12.48	4476	8899	12226	15830	*	4 Hole
501-55226004	23 5/8	15 6/8	600	400	13.82	30.44	2.48	869	1727	2373	3073	*	4 Hole
501-55226005	23 5/8	19 5/8	600	500	16.68	36.74	3.1	1086	2159	2967	3841	*	4 Hole
501-55226006	23 5/8	23 5/8	600	600	19.61	43.19	3.72	1303	2591	3560	4609	*	4 Hole
501-55226007	23 5/8	27 4/8	600	700	22.62	49.82	4.34	1520	3023	4153	5377	*	4 Hole
501-55226008	23 5/8	31 4/8	600	800	25.35	55.84	4.96	1738	3454	4746	6146	*	4 Hole
501-55226009	23 5/8	35 3/8	600	900	28.51	62.80	5.58	1955	3886	5340	6914	*	4 Hole
501-55226010	23 5/8	39 3/8	600	1000	31.62	69.65	6.2	2172	4318	5933	7682	*	4 Hole
501-55226011	23 5/8	43 2/8	600	1100	34.37	75.70	6.82	2389	4750	6526	8450	*	4 Hole

501-55226012	23 5/8	47 2/8	600	1200	37.03	81.56	7.44	2606	5182	7120	9218	*	4 Hole
501-55226013	23 5/8	51 1/8	600	1300	39.37	86.72	8.06	2824	5613	7713	9987	*	4 Hole
501-55226014	23 5/8	55 1/8	600	1400	40.29	88.74	8.68	3041	6045	8306	10755	*	4 Hole
501-55226015	23 5/8	59	600	1500	45.7	100.66	9.3	3258	6477	8900	11523	*	4 Hole
501-55226016	23 5/8	63	600	1600	48.02	105.77	9.92	3475	6909	9493	12291	*	4 Hole
501-55226018	23 5/8	70 7/8	600	1800	55.14	121.45	11.16	3910	7772	10679	13828	*	4 Hole
501-55226020	23 5/8	78 6/8	600	2000	59.77	131.65	12.4	4344	8636	11866	15364	*	4 Hole
501-55226022	23 5/8	86 5/8	600	2200	62.27	137.16	13.64	4778	9500	13053	16900	*	4 Hole
501-55226024	23 5/8	94 4/8	600	2400	64.67	142.44	14.88	5213	10363	14239	18437	*	4 Hole
501-55227504	29 4/8	15 6/8	750	400	16.45	36.23	2.96	1001	1990	2734	3540	*	4 Hole
501-55227506	29 4/8	23 5/8	750	600	23.34	51.41	4.44	1502	2985	4102	5311	*	4 Hole
501-55227508	29 4/8	31 4/8	750	800	30.17	66.45	5.92	2002	3980	5469	7081	*	4 Hole
501-55227510	29 4/8	39 3/8	750	1000	37.63	82.89	7.4	2503	4975	6836	8851	*	4 Hole
501-55227512	29 4/8	47 2/8	750	1200	44.07	97.07	8.88	3004	5970	8203	10621	*	4 Hole
501-55229004	35 3/8	15 6/8	900	400	20.56	45.29	3.28	1174	2334	3208	4153	*	4 Hole
501-55229006	35 3/8	23 5/8	900	600	29.78	65.59	4.92	1761	3502	4811	6229	*	4 Hole
501-55229008	35 3/8	31 4/8	900	800	38.84	85.55	6.56	2348	4669	6415	8306	*	4 Hole
501-55229010	35 3/8	39 3/8	900	1000	47.94	105.59	8.2	2935	5836	8019	10382	*	4 Hole
501-55229012	35 3/8	47 2/8	900	1200	57.32	126.26	9.84	3522	7003	9623	12458	*	4 Hole

**6 - Holes Middle | Steel Panel Radiator | PKKP 22 | Depth 103 mm (4") | W/L-Brackets holders**

For Room Temperature 20°C (68°F)




CODE	HEIGHT	LENGTH	HEIGHT	LENGTH	WEIGHT	WEIGHT	WATER CONTENT LITER	110°F 44°C	140°F 60°C	160°F 72°C	180°F 83°C	*	
	INCH	INCH	MM	MM	KG	POUND		BTU/H	BTU/H	BTU/H	BTU/H		
501-15224004	15 6/8	15 6/8	400	400	10.21	22.49	1.72	622	1237	1700	2200	*	6 Hole Middle Bottom
501-15224006	15 6/8	23 5/8	400	600	14.38	31.67	2.58	933	1855	2549	3301	*	6 Hole Middle Bottom
501-15224008	15 6/8	31 4/8	400	800	18.09	39.85	3.44	1244	2474	3399	4401	*	6 Hole Middle Bottom
501-15224010	15 6/8	39 3/8	400	1000	22.03	48.52	4.3	1555	3092	4249	5501	*	6 Hole Middle Bottom
501-15224012	15 6/8	47 2/8	400	1200	25.90	57.05	5.16	1866	3710	5099	6601	*	6 Hole Middle Bottom
501-15224014	15 6/8	55 1/8	400	1400	30.24	66.61	6.02	2177	4329	5949	7701	*	6 Hole Middle Bottom
501-15224016	15 6/8	63	400	1600	33.76	74.36	6.88	2488	4947	6798	8802	*	6 Hole Middle Bottom
501-15224018	15 6/8	70 7/8	400	1800	38.83	85.53	7.74	2799	5566	7648	9902	*	6 Hole Middle Bottom
501-15224020	15 6/8	78 6/8	400	2000	42.60	93.83	8.6	3110	6184	8498	11002	*	6 Hole Middle Bottom
501-15224024	15 6/8	94 4/8	400	2400	50.31	110.81	10.32	3732	7421	10198	13202	*	6 Hole Middle Bottom
501-15226004	23 5/8	15 6/8	600	400	14.38	31.67	2.48	869	1727	2373	3073	*	6 Hole Middle Bottom
501-15226005	23 5/8	19 5/8	600	500	17.35	38.22	3.1	1086	2159	2967	3841	*	6 Hole Middle Bottom
501-15226006	23 5/8	23 5/8	600	600	20.40	44.93	3.72	1303	2591	3560	4609	*	6 Hole Middle Bottom
501-15226007	23 5/8	27 4/8	600	700	23.53	51.83	4.34	1520	3023	4153	5377	*	6 Hole Middle Bottom
501-15226008	23 5/8	31 4/8	600	800	26.37	58.08	4.96	1738	3454	4746	6146	*	6 Hole Middle Bottom
501-15226009	23 5/8	35 3/8	600	900	29.66	65.33	5.58	1955	3886	5340	6914	*	6 Hole Middle Bottom
501-15226010	23 5/8	39 3/8	600	1000	32.90	72.47	6.2	2172	4318	5933	7682	*	6 Hole Middle Bottom
501-15226011	23 5/8	43 2/8	600	1100	35.76	78.77	6.82	2389	4750	6526	8450	*	6 Hole Middle Bottom
501-15226012	23 5/8	47 2/8	600	1200	38.53	84.87	7.44	2606	5182	7120	9218	*	6 Hole Middle Bottom
501-15226014	23 5/8	55 1/8	600	1400	41.92	92.33	8.68	3041	6045	8306	10755	*	6 Hole Middle Bottom
501-15226016	23 5/8	63	600	1600	49.96	110.04	9.92	3475	6909	9493	12291	*	6 Hole Middle Bottom
501-15226018	23 5/8	70 7/8	600	1800	57.37	126.37	11.16	3910	7772	10679	13828	*	6 Hole Middle Bottom
501-15226020	23 5/8	78 6/8	600	2000	62.18	136.96	12.4	4344	8636	11866	15364	*	6 Hole Middle Bottom
501-15226024	23 5/8	94 4/8	600	2400	67.28	148.19	14.88	5213	10363	14239	18437	*	6 Hole Middle Bottom
501-15229004	35 3/8	15 6/8	900	400	21.39	47.11	3.28	1174	2334	3208	4153	*	6 Hole Middle Bottom
501-15229006	35 3/8	23 5/8	900	600	30.98	68.24	4.92	1761	3502	4811	6229	*	6 Hole Middle Bottom
501-15229008	35 3/8	31 4/8	900	800	40.41	89.01	6.56	2348	4669	6415	8306	*	6 Hole Middle Bottom
501-15229010	35 3/8	39 3/8	900	1000	49.88	109.87	8.2	2935	5836	8019	10382	*	6 Hole Middle Bottom
501-15229012	35 3/8	47 2/8	900	1200	59.64	131.37	9.84	3522	7003	9623	12458	*	6 Hole Middle Bottom

**6 - Holes Side | Steel Panel Radiator | PKKP 22 | Depth 103 mm (4") | Double face | C-Brackets**

For Room Temperature 20°C (68°F)



103 mm



CODE	HEIGHT	LENGTH	HEIGHT	LENGTH	WEIGHT	WEIGHT	WATER CONTENT	110°F	140°F	160°F	180°F	*	6 Hole Side Bottom	
	INCH	INCH	MM	MM	KG	POUND		LITER	44°C	60°C	72°C			83°C
501-70223004	11 6/8	15 6/8	300	400	7.52	16.56	1.36	488	969	1332	1724	*	6 Hole Side Bottom	
501-70223006	11 6/8	23 5/8	300	600	10.43	22.97	2.04	731	1454	1997	2587	*	6 Hole Side Bottom	
501-70223008	11 6/8	31 4/8	300	800	13.28	29.25	2.72	975	1938	2663	3449	*	6 Hole Side Bottom	
501-70223010	11 6/8	39 3/8	300	1000	16.13	35.53	3.4	1219	2423	3329	4311	*	6 Hole Side Bottom	
501-70223012	11 6/8	47 2/8	300	1200	19.26	42.42	4.08	1463	2908	3995	5173	*	6 Hole Side Bottom	
501-70223014	11 6/8	55 1/8	300	1400	21.85	48.13	4.76	1707	3392	4661	6035	*	6 Hole Side Bottom	
501-70223016	11 6/8	63	300	1600	24.87	54.78	5.44	1950	3877	5326	6898	*	6 Hole Side Bottom	
501-70223018	11 6/8	70 7/8	300	1800	29.13	64.16	6.12	2194	4361	5992	7760	*	6 Hole Side Bottom	
501-70223020	11 6/8	78 6/8	300	2000	31.08	68.46	6.8	2438	4846	6658	8622	*	6 Hole Side Bottom	
501-70223024	11 6/8	94 4/8	300	2400	36.95	81.39	8.16	2926	5815	7990	10346	*	6 Hole Side Bottom	
501-70224004	15 6/8	15 6/8	400	400	10.01	22.05	1.72	622	1237	1700	2200	*	6 Hole Side Bottom	
501-70224006	15 6/8	23 5/8	400	600	14.10	31.06	2.58	933	1855	2549	3301	*	6 Hole Side Bottom	
501-70224008	15 6/8	31 4/8	400	800	17.74	39.07	3.44	1244	2474	3399	4401	*	6 Hole Side Bottom	
501-70224010	15 6/8	39 3/8	400	1000	21.59	47.56	4.3	1555	3092	4249	5501	*	6 Hole Side Bottom	
501-70224012	15 6/8	47 2/8	400	1200	25.39	55.93	5.16	1866	3710	5099	6601	*	6 Hole Side Bottom	
501-70224014	15 6/8	55 1/8	400	1400	29.65	65.31	6.02	2177	4329	5949	7701	*	6 Hole Side Bottom	
501-70224016	15 6/8	63	400	1600	33.10	72.91	6.88	2488	4947	6798	8802	*	6 Hole Side Bottom	
501-70224018	15 6/8	70 7/8	400	1800	38.07	83.85	7.74	2799	5566	7648	9902	*	6 Hole Side Bottom	
501-70224020	15 6/8	78 6/8	400	2000	41.77	92.00	8.6	3110	6184	8498	11002	*	6 Hole Side Bottom	
501-70224024	15 6/8	94 4/8	400	2400	49.33	108.66	10.32	3732	7421	10198	13202	*	6 Hole Side Bottom	
501-70225004	19 5/8	15 6/8	500	400	11.83	26.06	2.08	746	1483	2038	2638	*	6 Hole Side Bottom	
501-70225006	19 5/8	23 5/8	500	600	16.44	36.21	3.12	1119	2225	3056	3958	*	6 Hole Side Bottom	
501-70225008	19 5/8	31 4/8	500	800	21.43	47.20	4.16	1492	2966	4075	5277	*	6 Hole Side Bottom	
501-70225010	19 5/8	39 3/8	500	1000	26.91	59.27	5.2	1865	3708	5094	6596	*	6 Hole Side Bottom	
501-70225012	19 5/8	47 2/8	500	1200	31.01	68.30	6.24	2238	4450	6113	7915	*	6 Hole Side Bottom	
501-70225014	19 5/8	55 1/8	500	1400	36.85	81.17	7.28	2611	5191	7132	9234	*	6 Hole Side Bottom	
501-70225016	19 5/8	63	500	1600	42.12	92.78	8.32	2984	5933	8150	10554	*	6 Hole Side Bottom	
501-70225018	19 5/8	70 7/8	500	1800	47.38	104.36	9.36	3357	6674	9169	11873	*	6 Hole Side Bottom	
501-70225020	19 5/8	78 6/8	500	2000	52.11	114.78	10.4	3730	7416	10188	13192	*	6 Hole Side Bottom	
501-70225024	19 5/8	94 4/8	500	2400	56.52	124.49	12.48	4476	8899	12226	15830	*	6 Hole Side Bottom	
501-70226004	23 5/8	15 6/8	600	400	14.10	31.06	2.48	869	1727	2373	3073	*	6 Hole Side Bottom	
501-70226005	23 5/8	19 5/8	600	500	17.01	37.47	3.1	1086	2159	2967	3841	*	6 Hole Side Bottom	
501-70226006	23 5/8	23 5/8	600	600	20.00	44.05	3.72	1303	2591	3560	4609	*	6 Hole Side Bottom	
501-70226007	23 5/8	27 4/8	600	700	23.07	50.81	4.34	1520	3023	4153	5377	*	6 Hole Side Bottom	
501-70226008	23 5/8	31 4/8	600	800	25.86	56.96	4.96	1738	3454	4746	6146	*	6 Hole Side Bottom	
501-70226009	23 5/8	35 3/8	600	900	29.08	64.05	5.58	1955	3886	5340	6914	*	6 Hole Side Bottom	
501-70226010	23 5/8	39 3/8	600	1000	32.25	71.04	6.2	2172	4318	5933	7682	*	6 Hole Side Bottom	
501-70226011	23 5/8	43 2/8	600	1100	35.06	77.22	6.82	2389	4750	6526	8450	*	6 Hole Side Bottom	
501-70226012	23 5/8	47 2/8	600	1200	37.77	83.19	7.44	2606	5182	7120	9218	*	6 Hole Side Bottom	
501-70226014	23 5/8	55 1/8	600	1400	41.10	90.53	8.68	3041	6045	8306	10755	*	6 Hole Side Bottom	
501-70226016	23 5/8	63	600	1600	48.98	107.89	9.92	3475	6909	9493	12291	*	6 Hole Side Bottom	
501-70226018	23 5/8	70 7/8	600	1800	56.24	123.88	11.16	3910	7772	10679	13828	*	6 Hole Side Bottom	
501-70226020	23 5/8	78 6/8	600	2000	60.97	134.30	12.4	4344	8636	11866	15364	*	6 Hole Side Bottom	
501-70226024	23 5/8	94 4/8	600	2400	65.96	145.29	14.88	5213	10363	14239	18437	*	6 Hole Side Bottom	
501-70227504	29 4/8	15 6/8	750	400	16.78	36.96	2.96	1001	1990	2734	3540	*	6 Hole Side Bottom	
501-70227506	29 4/8	23 5/8	750	600	23.81	52.44	4.44	1502	2985	4102	5311	*	6 Hole Side Bottom	
501-70227508	29 4/8	31 4/8	750	800	30.77	67.78	5.92	2002	3980	5469	7081	*	6 Hole Side Bottom	
501-70227510	29 4/8	39 3/8	750	1000	38.38	84.54	7.4	2503	4975	6836	8851	*	6 Hole Side Bottom	
501-70227512	29 4/8	47 2/8	750	1200	44.95	99.01	8.88	3004	5970	8203	10621	*	6 Hole Side Bottom	
501-70229004	35 3/8	15 6/8	900	400	20.97	46.19	3.28	1174	2334	3208	4153	*	6 Hole Side Bottom	
501-70229006	35 3/8	23 5/8	900	600	30.38	66.92	4.92	1761	3502	4811	6229	*	6 Hole Side Bottom	
501-70229008	35 3/8	31 4/8	900	800	39.62	87.27	6.56	2348	4669	6415	8306	*	6 Hole Side Bottom	
501-70229010	35 3/8	39 3/8	900	1000	48.90	107.71	8.2	2935	5836	8019	10382	*	6 Hole Side Bottom	
501-70229012	35 3/8	47 2/8	900	1200	58.47	128.79	9.84	3522	7003	9623	12458	*	6 Hole Side Bottom	